



Stabilized lift arms allow off-center loading, up to 50%. Versatile design allows adaptability to meet extended width requirements while maintaining load stability. Narrow designs available. T2 and T3 series with vertical travel height to 288", and capacities from 1,000 lbs. to 20,000 lbs. are available. Contact factory for additional information. Special pins and bearings assure minimal friction at pivot and wear points

TORK LIFT SPECIFICATIONS

CFG-AMT

Travel (inches)	Capacity (lbs.)	Model	Lowered Height (inches)	Raised Height (inches)	Standard Platform Size	Maximum Platform Size	Max. End Load @ Std. Platform (lbs.)	Max. Side Load @ Std. Platform (lbs.)	Raising Lowering Time (sec)	Power Unit / HP	Cylinder	Shipping Weight (lbs.)	UOM	List Price
24	2200	LM24-022	6	30	24 X 36	36 X 48	1100	1100	25	INT 0.5	1	325	EA	\$3,095
36	1500	LM36-015	6	42	24 X 48	36 X 60	750	750	30	INT 0.5	1	370	EA	\$2,860
36	2200	T36-022	6 1/2	42 1/2	24 X 48	44 X 68	1100	1100	40	INT 0.5	2	525	EA	\$3,005
36	4400	T36-044	6 1/2	42 1/2	24 X 48	44 X 68	2200	2200	32	INT 1	2	600	EA	\$3,835
36	6000	T-36-060	7	43	24 X 48	44 X 68	3000	3000	35	INT 1	2	650	EA	\$4,485
36	8000	T1-36-080	12	48	48 X 61	66 X 80	4000	4000	43	INT 1.5	2	2150	EA	\$10,045
36	10000	T1-36-100	14	50	36 X 64	54 X 82	5000	5000	47	INT 1.5	2	2600	EA	\$12,285
36	12000	T1-36-120	14	50	36 X 64	54 X 82	6000	6000	47	INT 1.5	2	2800	EA	\$12,720
36	16000	T1-36-160	16	52	36 X 72	54 X 92	8000	8000	39	INT 3	2	3000	EA	\$15,515
36	30000	T1-36-300	18	54	36 X 80	56 X 100	15000	15000	60	INT 3	4	3200	EA	\$15,515
48	2000	T1-48-020	8	56	30 X 72	48 X 86	1000	1000	55	INT 0.5	1	1200	EA	\$4,720
48	4000	T1-48-040	8	56	30 X 72	48 X 86	2000	2000	40	INT 1	2	1250	EA	\$5,225
48	6000	T1-48-060	9	57	30 X 72	48 X 86	3000	3000	52	INT 1	2	2400	EA	\$6,055
48	8000	T1-48-080	13 1/4	61 1/4	32 X 80	50 X 98	4000	4000	70	INT 1.5	2	3200	EA	\$9,680
48	10000	T1-48-100	15	63	42 X 82	60 X 100	5000	5000	70	INT 1.5	2	3600	EA	\$11,375
48	12000	T1-48-120	16	64	42 X 82	60 X 100	6000	6000	70	INT 1.5	2	3600	EA	\$13,320
48	16000	T1-48-160	16	64	42 X 82	60 X 100	8000	8000	97	INT 1.5	3	3600	EA	\$16,215
48	20000	T1-48-200	16	64	42 X 82	60 X 100	10000	10000	97	INT 1.5	3	4400	EA	\$18,120
48	30000	T1-48-300	18	66	44 X 84	62 X 102	15000	15000	46	INT 5	4	6000	EA	\$18,120
60	2500	T1-60-025	9 3/4	69 3/4	50 X 98	68 X 116	1250	1250	40	INT 1.5	2	2100	EA	\$6,815
60	4000	T1-60-040	9 3/4	69 3/4	48 X 84	68 X 102	2000	2000	40	INT 1.5	2	1900	EA	\$7,395
60	6000	T1-60-060	11 3/4	71 3/4	56 X 102	74 X 118	3000	3000	80	INT 1.5	2	2300	EA	\$8,370
60	9000	T1-60-090	14 1/2	74 1/2	56 X 102	74 X 120	4500	4500	80	INT 1.5	2	3200	EA	\$12,425
60	12000	T1-60-120	14 1/2	74 1/2	56 X 102	74 X 120	6000	6000	80	INT 1.5	2	4000	EA	\$14,885
60	16000	T1-60-160	15 1/2	75 1/2	64 X 104	80 X 120	8000	8000	80	INT 3	4	5000	EA	\$16,915
60	20000	T1-60-200	15 1/2	75 1/2	64 X 104	80 X 120	10000	10000	80	INT 3	4	5600	EA	\$18,830
60	30000	T1-60-300	18 1/2	78 1/2	64 X 104	83 X 122	15000	15000	75	INT 3	4	6300	EA	\$18,830
72	2000	T1-72-020	9 3/4	81 3/4	48 X 110	68 X 128	1000	1000	64	INT 1	2	2300	EA	\$8,935
72	4000	T1-72-040	11 1/4	83 1/4	48 X 110	66 X 120	2000	2000	45	INT 1.5	1	2600	EA	\$11,705
72	6000	T1-72-060	12 3/4	84 3/4	48 X 110	68 X 128	3000	3000	80	INT 1.5	2	3400	EA	\$12,185